






Lapas small | standing light | warm white | dimmable | OutdoorPro+ | 12 volts

## Product Images



## Short Description

---

The stylish small standing light Lapas with 360-degree upward light beam is perfect for creating atmospheric accents in your garden.

- ✓ IP-65
- ✓ 383 lm

## Description

---

Are you looking for a small outdoor lamp that creates a cozy atmosphere in your garden? The Lapas blank small is ideal for pathways, flower beds, shrubs, or driveways.

With its upward-directed light beam and dimmable function in 6 levels, you can easily create the desired ambiance. Thanks to its modern design and weather-resistant materials, this lamp fits perfectly in any outdoor setting.

Prefer a larger model? Then choose the Lapas blank medium (363 mm) or for the maximum size, the Lapas blank large (614 mm).

**Tip:** By combining the Lapas blank small (383 lm), Lapas blank medium (383 lm), and Lapas blank large (383 lm), you can create the maximum aesthetic lighting for your outdoor space.

The Lapas floor lamp is part of the **OutdoorPro+** lighting system, allowing you to easily coordinate all elements for optimal lighting performance.

Learn more about the system on the **OutdoorPro+** homepage and give your outdoor lighting a boost!

### Included accessories:

- ✓ Spike
- ✓ Mounting materials
- ✓ Connector product cable

- **6 settings dimmable:**



## Additional Information

Article number	L2497
EAN code	7435836185110
Brand	Hamulight
Product Line	OutdoorPro+
Suitable for	Outside
Light color	Warm white (3000K)
Input voltage	12V AC
LED chip	Cree
Consumption	4 watt
Dimmable	Yes
Lumen	383 lm
Color Rendering Index (CRI)	83
Light angle	100 graden
Energy label	F
Diameter	60 mm
Height	263 mm
Cable length	10 cm
Transformer required?	Yes (12 volts OutdoorPro+ transformer)
Material	Aluminium
Cable thickness	20 AWG
Color material	Black
IP value	IP-65
VA value	5,38 VA
Minimum ambient temperature (°C)	-20 °C
Maximum ambient temperature (°C)	50 °C
Lifetime	25000 uur
Quality mark	CE, Rohs
Warranty	5 years