
ΗΛMULiGHT

Cree LED recessed spotlight Toledo in | warm white | 3 watt | dimmable | tiltable | different colours

Product Images



The Toledo LED recessed spotlight has an output of 3 watts and shines (2700k) warm white light. This spot is dimmable and can be tilted.

Description

Are you looking for a new recessed LED spot in your home? This tiltable and dimmable Toledo LED downlight is highly recommended. This recessed spot saves you money through its high number of operating hours and its energy efficiency. This recessed spot is environmentally friendly and the warm white light will create a pleasant atmosphere in your home.

The LED downlight is suitable for every room in your house. This is because this spot has an IP-value of 44 (IP-44) and its stylish design matches every kind of interior. When you order this Toledo recessed spot, don't forget to look at the accessories.

You can operate the Toledo recessed spotlights in several ways. All options are listed below:

- LED rotary dimmer Atlas
- LED push dimmer Novex
- Moon remote control
- App (free access with purchase of wifi LED receiver)

With the LED rotary dimmer, you can dim the Toledo spotlight and with the hole saw (size 42 mm), you can make holes in your ceiling that fit the Toledo spotlight perfectly.

Tip: while mounting the spot, keep in mind that the spot and the transformer need 2mm of play.

You can read more about this Toledo spotlight under product specifications. Is your question still unanswered? Ask our LED specialists. You can do this by phone, email or via the chat window.

Additional Information

EAN code	7435838110158
Brand	Hamulight
LED chip	Cree
Suitable for	Inside
Suitable i.c.w.	A switch, LED rotary dimmer Atlas, LED pressure dimmer Novex, remote control Moon, the Hamulight app
Also compatibel with	Google Home & Amazon Alexa
Consumption	3 watt
Input voltage	230V AC
Light color	Warm white (2700K)
Lumen per LED (including lens)	155 lm
Color Rendering Index (CRI)	>82
Light angle	45 Degrees
Dimmable	Yes
Tiltable	Yes
Cabling per LED	10 cm
Transformer required?	Yes (standard included)
Dimensions transformer	38 x 26 x 21 mm
Circuit	Parallel
Diameter	50 mm
Height	35 mm
Hole size	42 mm
Material	Aluminium
IP value	IP44
Quality mark	CE, Rohs
Warranty	Spots: 3 years, Trafo: 2 years
Energy label old	A+
Energy label new	F

Colours

 Kleur spot:
 Black

 Kleur spot:
 Aluminium

 Kleur spot:
 White